



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/064,641	08/01/2002	George Cheng	9330-US-375	2124
31561 759	561 7590 12/29/2004		EXAMINER	
JIANQ CHYUN INTELLECTUAL PROPERTY OFFICE			PHAM, TUAN	
7 FLOOR-1, NO	O. 100 ROAD, SECTION 2		ART UNIT	PAPER NUMBER
TAIPEI, 100			2643	
TAIWAN			DATE MAILED: 12/29/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/064,641	CHENG, GEORGE			
		Examiner	Art Unit			
		TUAN A PHAM	2643			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
THE - Exte after - If the - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reperiod for reply is specified above, the maximum statutory perior to reply within the set or extended period for reply will, by statically received by the Office later than three months after the mained patent term adjustment. See 37 CFR 1.704(b).	I. 1.136(a). In no event, however, may a reply be timely be timely be the seply within the statutory minimum of thirty (30) days to will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)	Responsive to communication(s) filed on <u>07</u>	October 2004.				
		nis action is non-final.				
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-16</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠	6)⊠ Claim(s) <u>1-16</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)	Claim(s) are subject to restriction and	/or election requirement.				
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
a)l	Acknowledgment is made of a claim for foreignal All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Buresee the attached detailed Office action for a line	nts have been received nts have been received in Application iority documents have been received eau (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachmen	t/s)		PENERE DE DE LA PROPERTIE DE L			
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notic 3) Infor	e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 r No(s)/Mail Date	Paper No(s)/Mail Da				

Art Unit: 2643

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-16 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsieh (U.S. Patent No.: 6,683,948) in view of Urry et al. (U.S. Patent No.: 6,195,029, hereinafter, "Urry").

Regarding claims 1 and 4, Hsieh teaches a DTMF decoder that combines software and hardware (see figure 1, col.3, ln.22-25), comprising:

an amplifier, used to amplify and reshape a DTMF signal and output an amplified DTMF signal (see figure 1, amplifier 16, col.3, ln.11-25, it is obvious that the signal input to the amplifier at a low frequency then the amplifier will amplify or change the amplitude of the signal to a new waveform);

Art Unit: 2643

an analog to digital converter, coupled to the amplifier, used to convert the amplified DTMF signal from analog to digital and output a digital DTMF signal (see figure 1, A/D converter 17, col.3, In.11-25); and

a CPU, coupled to the analog to digital converter, used to perform a digital filtering on the digital DTMF signal to complete a decoding operation (see figure 3, microprocessor 12, col.3, ln.11-38).

It should be noticed that Hsieh fails to clearly teach the analog to digital converter has a precision level to preserve a frequency. However, Urry teaches such features (see col.6, In.57-67) for a purpose of preventing the high frequency signal from being lost.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the analog to digital converter has a precision level to preserve a frequency, as taught by Urry, into view of Hsieh in order to prevent the high frequency signal from being lost.

Regarding claims 2 and 5, Hsieh further teaches the DTMF decoder that combines software and hardware wherein the amplifier comprises a non-invert terminal, an invert terminal, and an output terminal (see figure 1, amplifier 16). It is inherently that the amplifier should be included a non-invert terminal, an invert terminal, and an output terminal).

Regarding claims 3 and 6, Hsieh further teaches the DTMF decoder that combines software and hardware wherein the non-invert terminal couples to a first terminal of a telephone line, the invert terminal couples to a second terminal of the

Art Unit: 2643

telephone line, and the output terminal outputs the amplified DTMF signal (see figure 1, Tip and Ring, amplifier 16, col.3, In.11-25). See explanation of claim 2.

Regarding claim 7, Hsieh teaches an operating method of a DTMF decoder that combines software and hardware, comprising:

amplifying and reshaping a DTMF signal to output an amplified DTMF signal (see figure 1, amplifier 16, col.3, In.11-25, it is obvious that the signal input to the amplifier at a low frequency and the amplifier will amplify or change the amplitude of the signal to a different waveform);

converting the amplified DTMF signal from analog to digital to output a digital DTMF signal (see figure 1, A/D converter 17, col.3, ln.11-25); and

performing a digital filter on the digital DTMF signal to complete a decoding operation (see figure 3, microprocessor 12, col.3, ln.11-38).

It should be noticed that Hsieh fails to clearly teach the analog to digital converter has a precision level to preserve a frequency. However, Urry teaches such features (see col.6, In.57-67) for a purpose of preventing the high frequency signal from being lost.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the analog to digital converter has a precision level to preserve a frequency, as taught by Urry, into view of Hsieh in order to prevent the high frequency signal from being lost.

Regarding claim 8, Hsieh further teaches the operating method of a DTMF decoder that combines software and hardware wherein the DTMF signal is amplified and reshaped by an amplifier (see figure 1, amplifier 16, col.3, In.11-25). It should be

Art Unit: 2643

understood that the amplifier 16 is amplifying the analog signal and reshaped the waveform from TIP and RING.

Regarding claim 9, Hsieh further teaches the operating method of a DTMF decoder that combines software and hardware wherein the amplifier comprises a non-invert terminal, an invert terminal, and an output terminal (see figure 1, amplifier 16). It is inherently that the amplifier should be included a non-invert terminal, an invert terminal, and an output terminal).

Regarding claim 10, Hsieh further teaches the operating method of a DTMF decoder that combines software and hardware wherein the non-invert terminal couples to a first terminal of a telephone line, the invert terminal couples to a second terminal of the telephone line, and the output terminal outputs the amplified DTMF signal (see figure 1, Tip and Ring, amplifier 16, col.3, In.11-25). See explanation of claim 8.

Regarding claim 11, Hsieh further teaches the operating method of a DTMF decoder that combines software and hardware wherein the amplified DTMF signal is converted from analog to digital by an analog to digital converter (see figure 1, A/D converter 17, col.3, ln.11-25).

Regarding claim 12, Hsieh further teaches the operating method of a DTMF decoder that combines software and hardware wherein a digital filtering is performed on the digital DTMF signal to complete a decoding operation by a CPU (see figure 3, microprocessor 12, col.3, ln.11-38).

Regarding claim 13, Hsieh further teaches the operating method of a DTMF decoder that combines software and hardware wherein a digital filtering is performed on

Art Unit: 2643

the digital DTMF signal to complete a decoding operation by a digital logic operation circuit (i.e., microprocessor) (see figure 3, microprocessor 12, col.3, ln.11-38).

4. Claims 14-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsieh (U.S. Patent No.: 6,683,948) in view of Urry et al. (U.S. Patent No.: 6,195,029, hereinafter, "Urry") as applied to claim 1, 4, and 7 above, and further in view of Valimaki et al. (U.S. Patent No.: 5,812,608, hereinafter, "Valimaki").

Regarding claims 14-16, Hsieh and Urry, in combination, fails to clearly teach the analog to digital converter is between 4 bits and 8 bits. However, Valimaki teaches such features (see col.3, In.12-20) for a purpose of reducing the bit rate of the information transmitted over communication link.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate the use of the analog to digital converter is between 4 bits and 8 bits, as taught by Valimaki, into view of Hsieh and Urry in order to cut cost for design the A/D converter with less number of bits.

Art Unit: 2643

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any response to this final action should be mailed to:

Commissioner of Patents and Trademarks
Washington, D.C. 20231

or faxed to:

(703) 872-9314 (for formal communications; please mark "EXPEDITED PROCEDURE")

If it is an informal or draft communication, please label "PROPOSED" or "DRAFT")

Customer Service (703) 306-0377
Hand-delivered responses should be brought to Crystal Park II, 2121
Crystal Drive, Arlington, VA., Sixth Floor (Receptionist)

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Tuan A. Pham** whose telephone number is

Art Unit: 2643

(703) 305-4987. The examiner can normally be reached on Monday through Friday, 8:00 AM-5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Curtis Kuntz can be reached on (703) 305-4708 and IF PAPER HAS BEEN MISSED FROM THIS OFFICIAL ACTION PACKAGE, PLEASE CALL Customer Service at (703) 306-0377 FOR THE SUBSTITUTIONS OR COPIES.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have question on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit 2643 December 23, 2004 Examiner

Tuan Pham